In Re application of Altenschöpfer and Watkinson Application No. 10/544,259 Filing Date 12/9/05 Page 2 of 6

Amendments to the Claims

Please amend claims 15, 22 and 30, and add new claims 31-33 as follows. This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Previously presented) An adhesive patch suitable for the transdermal administration of granisetron, wherein the adhesive is an acrylic adhesive containing non-acidic hydroxyl moieties, a physiologically effective amount of granisetron being loaded in the adhesive.
- 2. (Previously presented) A patch according to claim 1, wherein the non-acidic hydroxyl moieties are provided by suitably selected comonomers.
- 3. (Previously presented) A patch according to claim 2, wherein the selected comonomers are selected from the group consisting of substituted acrylates and substituted methacrylates.
- 4. (Previously presented) A patch according to claim 3, wherein the acrylate is selected from the group consisting of hydroxymethyl acrylates, hydroxyethyl acrylates and hydroxypropyl acrylates.
- 5. (Previously presented) A patch according to claim 3, wherein the methacrylate is selected from the group consisting of hydroxymethyl methacrylates and hydroxyethyl methacrylates.
 - 6. (Previously presented) A patch according to claim 1, which is pressure sensitive.
- 7. (Previously presented) A patch according to claim 1, containing a major amount of a primary acrylate monomer.

In Re application of Altenschöpfer and Watkinson Application No. 10/544,259 Filing Date 12/9/05 Page 3 of 6

- 8. (Original) A patch according to claim 7, wherein the primary acrylate monomer is either 2-ethylhexyl acrylate or butyl acrylate.
- 9. (Previously presented) A patch according to claim 1, adapted to provide a pharmacologically effective amount of granisetron after about 2 hours.
- 10. (Previously presented) A patch according to claim 1, comprising up to about 10% by weight of granisetron.
- 11. (Previously presented) A patch according to claim 10, having less than 8% w/w granisetron.
- 12. (Previously presented) A patch according to claim 1, having a level of granisetron above 4% w/w.
- 13. (Previously presented) A patch according to claim 10, having a level of between 6% and 7.7% w/w of granisetron.
- 14. (Previously presented) A patch according to claim 1, wherein no crystallisation is observed after one month storage at room temperature and pressure.
- 15. (Currently amended) A patch according to claim 1, for the treatment <u>and/or</u> <u>prophylaxis</u> of chemically induced emesis.
- 16. (Previously presented) A patch according to claim 15, wherein the emesis is acute.
- 17. (Previously presented) A patch according to claim 15, wherein the emesis is delayed.
- 18. (Previously presented) A patch according to claim 1, for the treatment and/or prophylaxis of emesis associated with fractionated chemotherapy.

In Re application of Altenschöpfer and Watkinson Application No. 10/544,259 Filing Date 12/9/05 Page 4 of 6

- 19. (Previously presented) A patch according to claim 1, for the treatment and/or prophylaxis of postoperative nausea and vomiting.
- 20. (Previously presented) A patch according to claim 1, for the treatment and/or prophylaxis of nausea and vomiting associated with radiotherapy.
- 21. (Previously presented) A patch according to claim 1, for the treatment and/or prophylaxis of nausea and vomiting associated with fractionated cancer therapy.
- 22. (Currently amended) A patch according to claim 1, for the treatment and/or prophylaxis of a condition selected from the group consisting of **one or more of**: pruritus, fibromyalgia and pain associated therewith, migraine, anxiety, cognitive and psychotic disorders, depression, schizophrenia, psychosis in postnatal depression, irritable bowel syndrome, alcoholism, obstructive sleep disturbed breathing, motion sickness, loss of cognitive function, urinary incontinence, dyskinesia, systemic lupus erythematosus, drug-induced pruritus, premature ejaculation, eating disorders, obsessive compulsive disorder, gastric motility disorders, chronic fatigue syndrome, dyspepsia and cocaine dependence.
- 23. (Previously presented) A patch according to claim 1, wherein the adhesive is loaded with between 3 and 12% w/w granisetron.
- 24. (Previously presented) A patch according to claim 23, wherein the adhesive is loaded with between 4 and 10% w/w granisetron.
- 25. (Previously presented) A patch according to claim 23, wherein the adhesive is loaded with between 5 and 8% w/w granisetron.
- 26. (Previously presented) A patch according to claim 1, incorporating no plasticizers or permeation enhancers.
 - 27. (Cancelled)

Filing Date 12/9/05 Page 5 of 6

- 28. (Previously presented) A patch according to claim 1, wherein, at an adhesive loading of 6% w/w of active granisetron, the adhesive has a surface area of between 10 and 100 cm².
- 29. (Original) A patch according to claim 28, wherein the adhesive has a surface area of between 15 and 50 cm².
- 30. (Currently amended) A method for the treatment <u>and/or prophylaxis</u> of a condition associated with 5-HT₃ receptor activity in a patient in need thereof, <u>said method</u> comprising administering an adhesive patch according to claim 1 to the skin of the patient.
- 31. (New) A method for the treatment and/or prophylaxis of chemotherapy induced nausea and vomiting in a patient in need thereof, said method comprising administering an adhesive patch according to claim 1 to the skin of the patient.
- 32. (New) A method for the treatment and/or prophylaxis of a patient having, or susceptible to, a condition selected from the group consisting of:

pruritus, fibromyalgia and pain associated therewith, migraine, anxiety, cognitive and psychotic disorders, depression, schizophrenia, psychosis in postnatal depression, irritable bowel syndrome, alcoholism, obstructive sleep disturbed breathing, motion sickness, loss of cognitive function, urinary incontinence, dyskinesia, systemic lupus erythematosus, drug-induced pruritus, premature ejaculation, eating disorders, obsessive compulsive disorder, gastric motility disorders, chronic fatigue syndrome, dyspepsia and cocaine dependence,

said method comprising administering an adhesive patch according to claim 1 to the skin of the patient.

33. (New) A patch according to claim 1, for the treatment and/or prophylaxis of chemotherapy-induced nausea and vomiting.